
WAN
106
CENTRAL
OFFICE
108
102
POTS
DSL
PC4
126
LAN
CARD
PC3
124
LAN
CARD
SECOND LAN
122
SOHO
NETWORK
104
PC2
116
LAN
CARD
PC1
114
LAN
CARD
FIRST LAN
112

FIG. 1


102
WAN
106
CENTRAL
OFFICE
108
OPERATION
MANAGER
100
POTS
DSL
PC4
126
LAN
CARD
PC3
124
LAN
CARD
OPERATION
MANAGER
100
SECOND LAN
122
OPERATION
MANAGER
100
SOHO
NETWORK
104
PC2
116
LAN
CARD
PC1
114
LAN
CARD
OPERATION
MANAGER
100
FIRST LAN
112

FIG. 2

TOHOSO" E89E7860



FIG. 3

IDENTIFIER 242	VARIABLE 244			
	PROPERTY 1	PROPERTY 2	PROPERTY 3	PROPERTY N

FIG. 4

T0+0901 E39E2860



FIG. 5

Patent Application Publication Aug. 26, 2004 Sheet 6 of 9 US 2004/0168090 A1



FIG. 6


ERROR MESSAGE RECEIVED
402
USE MESSAGE IDENTIFIER TO INDEX THE KNOWLEDGE REPOSITORY ENTRY
404
USE KNOWLEDGE REPOSITORY PARSING RULES TO IDENTIFY THE BICNUM THAT REPRESENTS THE MOST SIGNIFICANT MEANING OF ERROR MESSAGE
406

FIG. 7